

~~At B1  
cancel~~

said support base, said first insulating foil, and said electroluminescent foil have a second opening therethrough for insertion of a control key of a device covered by said decorative cover.

~~Sub B1~~

[Please amend claim 5 as follows:]

~~A3~~

5. (Amended) A decorative cover as claimed in claim 2, further comprising a further foil between said insulating foil and said electroluminescent foil, said further foil having the graphic thereon and having an opening therethrough corresponding with the second opening.

~~Sub B1~~

[Please amend claim 7 as follows:]

7. (Amended) A decorative cover as claimed in claim 2, wherein said electroluminescent foil, when provided with power, provides white light.

~~A3  
Can't~~

~~Sub B1~~

[Please amend claim 8 as follows:]

8. (Amended) A decorative cover as claimed in claim 1, wherein said electroluminescent foil, when provided with power, provides white light.

[Please amend claim 9 as follows:]

9. (Amended) A decorative cover as claimed in claim 1, wherein said electroluminescent foil, when provided with power, provides colored light.

*A3*  
*Concl*  
*Sub B1*  
[Please amend claim 10 as follows:]

10. (Amended) A decorative cover as claimed in claim 1, wherein said electroluminescent foil includes a plurality of electroluminescent foil segments, and wherein said support base has a plurality of first openings therethrough for insertion of a plurality of connectors to connect each foil segment separately to the electrical power source so as to provide power separately to each foil segment.

[Please amend claim 16 as follows:]

*A4*  
16. (Amended) A covered electronic device as claimed in claim 13, further comprising a further foil between said insulating foil and said electroluminescent foil, said further foil having the graphic thereon and having an opening therethrough corresponding with the second opening.

[Please amend claim 18 as follows:]

18. (Amended) A covered electronic device as claimed in claim 13, wherein said electroluminescent foil, when provided with power, provides white light.

*A5*  
*Concl*  
Please amend claim 19 as follows:

19. (Amended) A covered electronic device as claimed in claim 12, wherein said electroluminescent foil, when provided with power, provides white light.

Please amend claim 20 as follows:

20. (Amended) A covered electronic device as claimed in claim 12, wherein said electroluminescent foil, when provided with power, provides colored light.

Please amend claim 21 as follows:

21. (Amended) A covered electronic device as claimed in claim 12, wherein said electroluminescent foil includes a plurality of electroluminescent foil segments, and wherein said support base has a plurality of first openings therethrough for insertion of a plurality of connectors to connect each foil segment separately to the electrical power source so as to provide power separately to each foil segment.

Please amend claim 25 as follows:

25. (Amended) A method of making a decorative cover, said method comprising:

- positioning a first insulating foil over a first surface of an electroluminescent foil to form a preliminary cover member;
- preforming the preliminary cover member into a preselected shape;
- punching first holes through the preliminary cover member for passage of control keys therethrough;
- placing the preliminary cover member into a mold of the preselected shape, the mold having bosses corresponding with the first hole and to a second hole; and
- injecting plastic into the mold and into contact with the preliminary cover member to form the decorative cover, the bosses providing holes through the plastic corresponding with the first and second holes.

Please amend claim 26 as follows:

26. (Amended) A method as claimed in claim 25, further comprising positioning a graphic between the first insulating foil and the electroluminescent foil as a part of the preliminary cover member.

Please amend claim 27 as follows:

a6  
once

27. (Amended) A method as claimed in claim 26, further comprising positioning a second insulating foil beneath a second surface of the electroluminescent foil as a part of the preliminary cover member, the second insulating foil having a hole therethrough corresponding with the first hole.

---

[Please amend claim 29 as follows:]

---

a7

29. (Amended) A method as claimed in claim 26, wherein the graphic is affixed on one surface of the first insulating foil before positioning of the first insulating foil over the first surface of the electroluminescent foil, and wherein the first insulating foil is positioned over the first surface of the electroluminescent foil with the graphic adjacent the electroluminescent foil.

---

[Please amend claim 32 as follows:]

---

a8

32. (Amended) A method as claimed in claim 25, further comprising positioning a further foil between the first insulating foil and the electroluminescent foil as a part of the preliminary cover member, the further foil having a graphic on a surface thereof adjacent the first insulating foil.

---